

In the Claims

Marked Up Version Of The Pending Claims under 37 C.F.R. 1.121(c)(1)(ii):

In accordance with 37 C.F.R. 1.121(c)(1)(ii), the Applicant submits the following marked up version only for claims being changed by the current amendment, wherein the markings are shown by strikethrough (for deleted matter) and/or underlining (for added matter):

1. (original)A computer-accessible medium comprising:  
a translator that is operable to receive a non-procedural image annotation template, the translator being operable to translate the non-procedural image annotation template to image annotation source code; and  
a compiler operably coupled to the translator, the compiler being operable to receive the image annotation source code and to compile the source code into an image annotation executable.
2. (original)The computer-accessible medium of claim 1, wherein the non-procedural image annotation template further comprises a mixture of XML and conventional numerical expressions based on C language syntax.
3. (original)The computer-accessible medium of claim 1, wherein the image annotation executable further comprises an annotation presentation description.
4. (original)The computer-accessible medium of claim 1, wherein the translator further comprises:  
an iterator object for an expression tree of the non-procedural image annotation template; and

a lexical analyzer of the procedural image annotation template.

5. (original)The computer-accessible medium of claim 1, wherein the image annotation source code further comprises an object-oriented image annotation source code and the compiler further comprises an object-oriented compiler.
6. (currently amended)The computer-accessible medium of claim 5, wherein the object-oriented image annotation source code further comprises high-level language~~Java~~ image annotation source code and the object-oriented compiler further comprises a high-level language~~Java~~ compiler.
7. (currently amended)The computer-accessible medium of claim 1, wherein the image annotation executable further comprises instructions that are native to a processor~~[[the]]~~ of a medical imaging system.
8. (original)A computer-accessible medium having executable instructions to generate an image annotation executable from a non-procedural image annotation template to annotate images, the executable instructions capable of directing a processor to perform:
  - translating the non-procedural image annotation template to image annotation source code, wherein non-procedural image annotation template comprises non-procedural expression of calculations and operations to annotate an image with embedded text and wherein the procedural image annotation source code comprises procedural expression of the calculations and operations to annotate an image with embedded text; and

compiling the image annotation source code into an image annotation executable.

9. (original)The computer-accessible medium of claim 8, wherein the compiling further comprises:  
targeting the compiling to an instruction set of a processor of an imaging system.
10. (original)The computer-accessible medium of claim 8, further comprising executable instructions capable of directing a processor to perform:  
transferring the image annotation executable to an imaging system.
11. (original)The computer-accessible medium of claim 10, wherein the imaging system is a medical imaging system.
12. (original)The computer-accessible medium of claim 8, wherein the non-procedural image annotation template is written in a language that does not require procedural operations and wherein the procedural image annotation source code further comprises calculations and operations to annotate an image with embedded text.
13. (currently amended)A development system stored on a computer-accessible medium, the development system comprising:  
apparatus operable to~~means for~~ translate[[ing]] the non-procedural image annotation template to image annotation source code, wherein non-procedural image annotation template comprises non-procedural expression of calculations and operations to annotate an image with

embedded text and wherein the procedural image annotation source code comprises procedural expression of the calculations and operations to annotate the image with the embedded text; and apparatus operable to means for compile[[ing]] the image annotation source code into a medical image annotation executable, to an instruction set of a processor of a[[n]] medical imaging system.

14. (currently amended)The development system of claim 13, further comprising:

apparatus operable to means for transfer[[ring]] the image annotation executable to an imaging system.

15. (original)The development system of claim 13, wherein the non-procedural image annotation template is written in a language that does not require procedural operations and wherein the procedural image annotation source code further comprises calculations and operations to annotate an image with embedded text.

16. (currently amended)A translator recorded on a computer-accessible medium, the translator being operable to receive a non-procedural image annotation template and to translate the non-procedural image annotation template to high-level languageJava source code, the translator comprising:

a parser of the non-procedural image annotation template; and  
a translator of the parsed non-procedural image annotation template to the high-level languageJava source code.

17. (original)The translator of claim 16, wherein the parser of the non-procedural image annotation template further comprises:

- an initiator of a parser of the non-procedural image annotation template, the  
 parser being compliant with the Simple API for XML standard;  
 an element starter;  
 an element parser;  
 an element ender; and  
 an element attacher.
18. (currently amended)The translator of claim 16, wherein the translator of the  
 parsed non-procedural image annotation template further comprises:  
 a writer of high-level languageJava class package source code;  
 a writer of high-level languageJava import statement source code;  
 a writer of high-level languageJava class declaration source code;  
 a writer of high-level languageJava variable declaration source code; and  
 a filler of hash table representing at least one DICOM element of the high-  
level languageJava source code.
19. (currently amended)The translator of claim 18, wherein the filler of hash  
 tables representing elements of the high-level languageJava source code further  
 comprises:  
 a writer of high-level languageJava source code that constructs a group tree  
 as described by the elements of the non-procedural image annotation  
 template;  
 a writer of high-level languageJava source code that loads assigner  
 attributes in an ApStyle object and hashes with instances of run-  
 time class declarations;

- a writer of high-level languageJava source code that loads a data structure adapted for storage of DICOM elements with all DICOM elements that are required for annotation;
  - a writer of high-level languageJava source code that loads the data structure adapted for tool-tip data with character strings;
  - a writer of high-level languageJava source code that initializes a layout data structure that is designed to hold annotation strings for each quadrant, line, and segment;
  - a writer of high-level languageJava source code that invalidates all variable contents, as one would use if this object was assigned to control annotation of another image;
  - a writer of high-level languageJava source code that generates comments that document a runtime variable updates object; and
  - a writer of high-level languageJava source code that evaluates expressions in order of dependencies.
20. (currently amended)A computer-accessible medium having executable instructions to translate a non-procedural image annotation template to high-level languageJava source code, the executable instructions capable of directing a processor to perform:
- parsing the non-procedural image annotation template comprising
    - initializing a parser of the non-procedural image annotation template, the parser being compliant with the Simple API for XML standard;
    - starting an element of the non-procedural image annotation template;
    - parsing an element of the of the non-procedural image annotation template using the parser;

ending an element of the non-procedural image annotation template;  
 and  
 attaching the parsed element,  
 repeating the starting, parsing, ending and attaching for each element  
 of the non-procedural image annotation template, yielding a  
 parsed non-procedural image annotation template,  
 the translating further comprising:  
 translating the parsed non-procedural image annotation template to  
high-level languageJava source code.

21. (currently amended)The computer-accessible medium of claim 20, wherein the translating of the parsed non-procedural image annotation template further comprises:

writing a high-level languageJava class package;  
 writing high-level languageJava import statements;  
 writing high-level languageJava class declarations;  
 writing high-level languageJava variable declarations; and  
 filling hash tables representing DICOM elements of the high-level  
languageJava source code.

22. (original)The computer-accessible medium of claim 20, wherein the non-procedural image annotation template further comprises a mixture of XML and conventional numerical expressions based on C language syntax.

23. (currently amended)A method to translate a non-procedural image annotation template to high-level languageJava source code, the translator comprising:

parsing the non-procedural image annotation template comprising  
     initializing a parser of the non-procedural image annotation  
         template, the parser being compliant with the Simple API for  
         XML standard;  
     starting an element of the non-procedural image annotation template;  
     parsing an element of the of the non-procedural image annotation  
         template using the parser;  
     ending an element of the non-procedural image annotation template;  
     and  
     attaching the parsed element,  
     repeating the starting, parsing, ending and attaching for each element  
         of the non-procedural image annotation template, yielding a  
         parsed non-procedural image annotation template,  
 the translating further comprising:  
     translating the parsed non-procedural image annotation template to  
         high-level languageJava source code.

24. (currently amended)The method of claim 23, wherein the translating of the  
 parsed non-procedural image annotation template further comprises:
- writing a high-level languageJava class package;
  - writing high-level languageJava import statements;
  - writing high-level languageJava class declarations;
  - writing high-level languageJava variable declarations; and
  - filling hash tables representing DICOM elements of the high-level  
languageJava source code.



25. (original)The method of claim 23, wherein the non-procedural image annotation template further comprises a mixture of XML and conventional numerical expressions based on C language syntax.
26. (currently amended)A high-level languageJava-based system comprising:  
apparatus operable to means for parse[[ing]] the non-procedural image annotation template comprising:  
apparatus operable to means for initialize[[ing]] a parser of the non-procedural image annotation template, the parser being compliant with the Simple API for XML standard;  
apparatus operable to means for start[[ing]] an element of the non-procedural image annotation template;  
apparatus operable to means for parse[[ing]] an element of the of the non-procedural image annotation template using the parser;  
apparatus operable to means for end[[ing]] an element of the non-procedural image annotation template; and  
apparatus operable to means for attach[[ing]] the parsed element,  
apparatus operable to means for repeat[[ing]] the starting, parsing, ending and attaching for each element of the non-procedural image annotation template, yielding a parsed non-procedural image annotation template,  
the high-level languageJava-based system further comprising apparatus operable to means for translate[[ing]] comprising:  
apparatus operable to means for write[[ing]] a high-level languageJava class package;  
apparatus operable to means for write[[ing]] high-level languageJava import statements;

~~apparatus operable to means for write~~ high-level languageJava  
 class declarations;  
~~apparatus operable to means for write~~ high-level languageJava  
 variable declarations; and  
~~apparatus operable to means for fill~~ hash tables representing  
 DICOM elements of high-level languageJava source code.

27. (currently amended)The high-level languageJava-based system of claim 26, wherein the non-procedural image annotation template further comprises a mixture of XML and conventional numerical expressions based on C language syntax.
28. (original)A computer-accessible medium comprising:
  - a template repository that is operable to store one or more non-procedural image annotation templates;
  - a storer of the one or more non-procedural image annotation templates, operably coupled to the template repository; and
  - a selector of the one of the non-procedural image annotation templates, operably coupled to the template repository.
29. (original)The computer-accessible medium of claim 28, wherein the one or more non-procedural image annotation templates further comprises a computed tomography non-procedural image annotation template.
30. (currently amended)The computer-accessible medium of claim 28[[7]], wherein the one or more non-procedural image annotation templates further comprises a magnetic-resonance non-procedural image annotation template.

31. (original)A computer-accessible medium having executable instructions to generate an image annotation executable from a non-procedural image annotation template to annotate images, the executable instructions capable of directing a processor to perform:

storing the one or more non-procedural image annotation templates in a template repository, and  
selecting one of the non-procedural image annotation templates in the template repository.

32. (original)The computer-accessible medium of claim 31, wherein the one or more non-procedural image annotation templates further comprises a computed tomography non-procedural image annotation template.

33. (original)The computer-accessible medium of claim 31, wherein the one or more non-procedural image annotation templates further comprises a magnetic-resonance non-procedural image annotation template.

34. (original)A computer-accessible medium comprising:  
an image annotation executable; and  
an image viewer, operable to receive the image annotation executable, an image and an image annotation object, the image annotation object containing text, the image viewer being operable to execute instructions contained in the image annotation executable and using text from the image annotation object, and the image viewer being operable to generate an annotated image that is annotated with the text from the image annotation object.

35. (original)The computer-accessible medium of claim 34, wherein the instructions further comprise computer instructions that are native to a processor, the processor being operably coupled through a bus to the computer-accessible medium.
36. (original)The computer-accessible medium of claim 34, wherein the image annotation executable further comprises an image annotation executable that is compiled from a non-procedural image annotation template.
37. (original)The computer-accessible medium of claim 34, wherein the image annotation executable further comprises an annotation presentation description.
38. (original)The computer-accessible medium of claim 34, wherein the image annotation object further comprises the image.
39. (original)The computer-accessible medium of claim 37, wherein the image annotation object further comprises an image annotation object that conforms to standard that defines data elements in object-oriented terms, each object having a unique tag, name, characteristics and semantics.
40. (original)The computer-accessible medium of claim 34, wherein the image further comprises an unannotated image.
41. (original)The computer-accessible medium of claim 34, wherein the image annotation executable further comprises:

- an object to select a style class object that is appropriate for imaging of a modality; and
  - an instantiated style class object.
42. (original)The computer-accessible medium of claim 41, wherein the modality is selected from a group consisting of magnetic resonance, computed tomography, X-ray, ultrasound and positron emission tomography.
43. (original)The computer-accessible medium of claim 41, wherein the viewer further comprises:
- an object to invoke one or more methods in the object that selects a style class object that is appropriate for imaging of a modality; and
  - an object to receive parsed annotation data and the image from the image annotation object through a host image annotation parser, and to forward the image and text to the style class object that is appropriate for imaging of a modality.
44. (original)The computer-accessible medium of claim 43, wherein the style class object that is appropriate for imaging of a modality further comprises:
- a method to forward the image and text to a host text drawer in the viewer;
  - and
  - a method to forward the image and text to a graphic utilities object that is native to an operating system that is running on a processor that is operably coupled to the computer-accessible medium, whereupon the graphic utilities object is to generate the annotated image.

45. (original)A computer-accessible medium having executable instructions to generate and view an annotated medical image, from an image annotation object and an annotation presentation description, the image annotation object having an image, the annotation presentation description having instructions that are native to a processor that is operably coupled to the computer accessible medium, the executable instructions capable of directing the processor to perform:

receiving the annotation presentation description and the image annotation object; and

invoking the native instructions contained in the annotation presentation description and using text from the image annotation object, to generate and view the annotated medical image that is annotated with the text from the image annotation object.

46. (original)The computer-accessible medium of claim 45, wherein the annotation presentation description further comprises an annotation presentation description that is compiled from a non-procedural image annotation template.

47. (original)The computer-accessible medium of claim 45, wherein the image annotation object further comprises an image annotation object that conforms to standard that defines data elements in object-oriented terms, each object having a unique tag, name, characteristics and semantics.

48. (original)The computer-accessible medium of claim 45, wherein the annotation presentation description further comprises executable instructions capable of directing the processor to perform:

selecting a style class object that is appropriate for imaging of a modality;  
and

instantiating the selected style class object.

49. (original)The computer-accessible medium of claim 48, wherein the modality is selected from a group consisting of magnetic resonance, computed tomography, X-ray, ultrasound and positron emission tomography.

50. (original)The computer-accessible medium of claim 45, wherein the executable instructions further comprise executable instructions capable of directing the processor to perform:

- receiving parsed annotation data and the image from the image annotation object through a host image annotation parser; and

- forwarding the image and text to a graphic utilities object that is native to an operating system that is running on the processor, whereupon the graphic utilities object is to generate and view the annotated image.

51. (original)A method to generate and view an annotated medical image, from an image annotation object having an image and an annotation presentation description, wherein the annotation presentation description further comprises an annotation presentation description that is compiled from a non-procedural image annotation template and has instructions that are native to a processor that is operably coupled to the computer accessible medium, the method comprising:

- receiving the annotation presentation description and the image annotation object, the image annotation object containing text; and

- invoking the native instructions contained in the annotation presentation description and using text from the image annotation object, to generate and view the annotated medical image that is annotated with the text from the image annotation object.

52. (original)The method of claim 51, wherein the image annotation object further comprises an image annotation object that conforms to the Digital Imaging and Communications in Medicine standard.
53. (original)The method of claim 51, further comprising:  
 selecting a style class object that is appropriate for imaging of a modality,  
 wherein the modality is selected from a group consisting of magnetic resonance, computed tomography, X-ray, ultrasound and positron emission tomography; and  
 instantiating the selected style class object.
54. (original)The method of claim 51, further comprising:  
 receiving parsed annotation data and the image from the image annotation object through a host image annotation parser; and  
 forwarding the image and text to a graphic utilities object that is native to an operating system that is running on the processor, whereupon the graphic utilities object is to generate the annotated image.
55. (currently amended)A high-level languageJava-based system to generate and view an annotated medical image, from an annotation presentation description and an annotation object, [[ ]]wherein the annotation object conforms to the Digital Imaging and Communications in Medicine standard and has an image, wherein the annotation presentation description further comprises an annotation presentation description compiled from a non-procedural image annotation template and has instructions that are native to a processor, the system comprising:



~~high-level languageJava-based apparatus operable to~~means for receive[[ing]] the annotation presentation description and the image annotation object, the image annotation object containing text; and  
~~high-level languageJava-based apparatus operable to~~means for invoke[[ing]] the native instructions contained in the annotation presentation description and using text from the image annotation object, to generate and view the annotated medical image that is annotated with the text from the image annotation object.

56. (currently amended)The ~~high-level languageJava-based~~ system of claim 55, further comprising:

~~high-level languageJava-based apparatus operable to~~means for select[[ing]] a style class object that is appropriate for imaging of a modality, wherein the modality is selected from a group consisting of magnetic resonance, computed tomography, X-ray, ultrasound and positron emission tomography;

~~high-level languageJava-based apparatus operable to~~means for instantiate[[ing]] the selected style class object;

~~high-level languageJava-based apparatus operable to~~means for receive[[ing]] parsed annotation data and the image from the image annotation object through a host image annotation parser; and

~~high-level languageJava-based apparatus operable to~~means for forward[[ing]] the image and text to a graphic utilities object that is native to an operating system that is running on the processor, whereupon the graphic utilities object is to generate the annotated image.

57. (original)A computer system comprising:  
a processor;  
a bus operably coupled to the processor and  
a computer-accessible medium comprising a viewer that is operable to  
access computer instructions that are native to the processor, the  
computer instructions having been generated by a processor on  
another computer system, the computer-accessible medium being  
operably coupled to the processor through the bus.
58. (original)The computer system of claim 57, wherein the viewer further  
comprises a browser and the computer instructions further comprise computer  
instructions encapsulated in a browser plug-in component.
59. (currently amended)A computed tomography imaging system comprising:  
a processor;  
a bus operably coupled to the processor and  
a computer-accessible medium comprising a viewer that is operable to  
access:  
objects that conform to the Digital Imaging and Communications in  
Medicine standard (DICOM), the objects comprising an  
image and an annotation presentation description; and  
computer instructions that are native to the processor, the computer  
instructions having been generated by a processor on another  
system, the computer-accessible medium being operably  
coupled to the processor through the bus.

60. (original)The computed tomography imaging system of claim 59, wherein the viewer further comprises a browser and the computer instructions further comprise computer instructions encapsulated in a browser plug-in component.
61. (original)The computer system of claim 59, wherein the computer instructions further comprise computer instructions encapsulated in a dynamic link library.
62. (currently amended)A computer-accessible medium comprising:  
an encapsulation of image annotation native computer instructions; and  
a viewer that is operable to access the encapsulated image annotation computer instructions.
63. (original)The computer-accessible medium of claim 62 wherein the encapsulated image annotation computer instructions further comprise arithmetic calculations and special string operations for annotation that are native to a processor that is operably coupled to the computer-accessible medium.
64. (original)A computer-accessible medium having executable instructions to generate an annotated image, the executable instructions capable of directing a processor to perform:  
invoking executable instructions that are native to the processor, the executable instructions being contained in an image annotation executable, wherein operands to the native computer instructions include text; and  
generating an annotated image that is annotated with the text from the image annotation object.

65. (original)The computer-accessible medium of claim 64, wherein the executable instructions further comprise executable instructions capable of directing the processor to perform displaying the annotated image on a visual display in a browser.
66. (original)The computer-accessible medium of claim 65, wherein the image annotation object further comprises an object that is encoded according to a standard that defines data elements in object-oriented terms, each object having a unique tag, name, characteristics and semantics.
67. (original)The computer-accessible medium of claim 65, wherein the original image further comprises an original unannotated medical image.
68. (original)The computer-accessible medium of claim 65, wherein the original image further comprises an original image contained with the image annotation object.
69. (original)The computer-accessible medium of claim 65, wherein the image annotation executable further comprises an annotation presentation description.
70. (original)A computer-accessible medium having executable instructions to generate an annotated medical image, an image annotation object and an annotation presentation description, the executable instructions capable of directing a processor to perform:
- invoking executable instructions that are native to the processor, the executable instructions being contained in the annotation

presentation description, operands to the native computer instructions including text, the image annotation object being encoded according to a standard that defines data elements in object-oriented terms, the image annotation object having a unique tag, name, characteristics and semantics;  
annotating an original medical image with the text from the image annotation object; and  
displaying the annotated image on a visual display.

71. (original)The computer-accessible medium of claim 70, wherein the executable instructions further comprise annotation calculations and operations.
72. (currently amended)The computer-accessible medium of claim 70, wherein the displaying further comprises a displaying of the annotated image in a browser.
73. (original)The computer-accessible medium of claim 70, wherein the processor further comprises a processor of a medical imaging device.
74. (original)The computer-accessible medium of claim 70, wherein the original image further comprises an original image contained with the image annotation object.
75. (original)An apparatus comprising:  
a processor; and  
an encapsulation of image annotation computer instructions, the computer instructions being native to the processor, the computer instructions being generated by a processor on another apparatus.

76. (original)A method of updating a medical imaging system with new annotation calculations, the method comprising:
- generating on a development system an image annotation executable that includes computer instructions that are native to a processor of the medical imaging system; and
  - forwarding the image annotation executable through the Internet to the medical imaging system.
77. (original)The method of claim 76, wherein the image annotation executable further comprises an image annotation executable that package is a form selected from the group consisting of a browser-plugin and a dynamic link library.
78. (original)A method of updating a medical imaging system with new annotation calculations, the method comprising:
- receiving an image annotation executable that includes computer instructions of the new annotation calculations that are native to a processor of the medical imaging system; and
  - storing the image annotation executable in a location that is accessible to a viewer that is enable to access the image annotation executable.
79. (original)The method of claim 78, wherein receiving further comprises:
- receiving the image annotation executable from a manufacturer of the medical imaging system.

80. (original)The method of claim 78, wherein the medical imaging system further comprises a computer tomography medical imaging system.

81. (original)The method of claim 78, wherein the medical imaging system further comprises a magnetic imaging medical imaging system.